

**TRAFFIC NOISE MODELING  
EXISTING TRAFFIC COUNT**

Roadway	From	To	Traffic Count	AHW	Speed
Bruce Rd	Lakeside VLG Commons	Lakewest Dr	12,600	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 12600    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.38 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0    89.8    188.0    402.3					
Bruce Road	Humboldt Road	Picholine Way	10,500	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 10500    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.59 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0    80.3    166.8    356.4					
Bruce Road	Remington Dr	E 20th St	11,100	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 11100    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.83 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0    83.1    173.0    369.8					
Bruce Road	E 20th St	Raley Blvd	8,500	6	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 8500    SPEED: 45    ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.18 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0    67.0    143.8    309.5					

CA-32	East Ave	Kennedy Ave	13,200	12	45																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>74.86</td> <td>10.90</td> <td>9.22</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>2.89</td> <td>0.71</td> <td>0.29</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.78</td> <td>0.24</td> <td>0.11</td> </tr> </tbody> </table> <p>ADT: 13200 SPEED: 45 ACTIVE HALF WIDTH (FT): 12  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.61  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 106.5 228.2 491.0</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			74.86	10.90	9.22	M-TRUCKS			2.89	0.71	0.29	H-TRUCKS			0.78	0.24	0.11
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
74.86	10.90	9.22																											
M-TRUCKS																													
2.89	0.71	0.29																											
H-TRUCKS																													
0.78	0.24	0.11																											
CA-32 (Nord Ave)	Glenwood Ave	Glenwood Ave	16,300	12	45																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>74.86</td> <td>10.90</td> <td>9.22</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>2.89</td> <td>0.71</td> <td>0.29</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.78</td> <td>0.24</td> <td>0.11</td> </tr> </tbody> </table> <p>ADT: 16300 SPEED: 45 ACTIVE HALF WIDTH (FT): 12  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.52  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  57.8 122.3 262.5 564.9</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			74.86	10.90	9.22	M-TRUCKS			2.89	0.71	0.29	H-TRUCKS			0.78	0.24	0.11
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
74.86	10.90	9.22																											
M-TRUCKS																													
2.89	0.71	0.29																											
H-TRUCKS																													
0.78	0.24	0.11																											
CA-32 (Nord Ave)	Oak Way	W 8th Ave	15,800	12	35																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>74.86</td> <td>10.90</td> <td>9.22</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>2.89</td> <td>0.71</td> <td>0.29</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.78</td> <td>0.24</td> <td>0.11</td> </tr> </tbody> </table> <p>ADT: 15800 SPEED: 35 ACTIVE HALF WIDTH (FT): 12  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.85  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 81.6 174.3 374.7</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			74.86	10.90	9.22	M-TRUCKS			2.89	0.71	0.29	H-TRUCKS			0.78	0.24	0.11
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
74.86	10.90	9.22																											
M-TRUCKS																													
2.89	0.71	0.29																											
H-TRUCKS																													
0.78	0.24	0.11																											
CA-32 (Nord Ave)	W Sacramento Ave	W Sacramento Ave	19,300	12	35																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>74.86</td> <td>10.90</td> <td>9.22</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>2.89</td> <td>0.71</td> <td>0.29</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.78</td> <td>0.24</td> <td>0.11</td> </tr> </tbody> </table> <p>ADT: 19300 SPEED: 35 ACTIVE HALF WIDTH (FT): 12  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.71  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 93.0 199.0 428.1</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			74.86	10.90	9.22	M-TRUCKS			2.89	0.71	0.29	H-TRUCKS			0.78	0.24	0.11
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
74.86	10.90	9.22																											
M-TRUCKS																													
2.89	0.71	0.29																											
H-TRUCKS																													
0.78	0.24	0.11																											
Cohasset Road	Eaton Rd	Thorntree Dr	11,000	6	45																								

<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="0"> <tr> <td>DAY</td> <td>EVENING</td> <td>NIGHT</td> <td></td> <td></td> <td></td> </tr> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> <td></td> <td></td> </tr> </table> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 11000 SPEED: 45 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.30 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 0.0 79.4 170.7 367.6</p>						DAY	EVENING	NIGHT				---	-----	-----			
DAY	EVENING	NIGHT															
---	-----	-----															
Cohasset Road	Pillsbury Rd	East Ave	25,000	24	40												
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="0"> <tr> <td>DAY</td> <td>EVENING</td> <td>NIGHT</td> <td></td> <td></td> <td></td> </tr> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> <td></td> <td></td> </tr> </table> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 25000 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.09 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 57.4 114.9 243.3 522.1</p>						DAY	EVENING	NIGHT				---	-----	-----			
DAY	EVENING	NIGHT															
---	-----	-----															
Cohasset Road	East Ave	Lorinda Ln	17,700	24	35												
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="0"> <tr> <td>DAY</td> <td>EVENING</td> <td>NIGHT</td> <td></td> <td></td> <td></td> </tr> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> <td></td> <td></td> </tr> </table> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 17700 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.17 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 0.0 75.7 156.6 334.1</p>						DAY	EVENING	NIGHT				---	-----	-----			
DAY	EVENING	NIGHT															
---	-----	-----															
Deer Creek Hwy (CA-32)	E 8th St/Fir St	Untill Road Merges into Undivided Hwy	7,000	24	45												
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="0"> <tr> <td>DAY</td> <td>EVENING</td> <td>NIGHT</td> <td></td> <td></td> <td></td> </tr> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> <td></td> <td></td> </tr> </table> <p>AUTOS 74.86 10.90 9.22</p> <p>M-TRUCKS 2.89 0.71 0.29</p> <p>H-TRUCKS 0.78 0.24 0.11</p> <p>ADT: 7000 SPEED: 45 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.93 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 0.0 73.3 151.0 322.1</p>						DAY	EVENING	NIGHT				---	-----	-----			
DAY	EVENING	NIGHT															
---	-----	-----															
Deer Creek Hwy (CA-32)	Untill Road Merges into Undivided Hwy	Forest Ave	15,900	12	45												
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="0"> <tr> <td>DAY</td> <td>EVENING</td> <td>NIGHT</td> <td></td> <td></td> <td></td> </tr> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> <td></td> <td></td> </tr> </table>						DAY	EVENING	NIGHT				---	-----	-----			
DAY	EVENING	NIGHT															
---	-----	-----															

<p>---      -----      -----</p> <p>AUTOS 74.86    10.90    9.22</p> <p>M-TRUCKS 2.89    0.71    0.29</p> <p>H-TRUCKS 0.78    0.24    0.11</p> <p>ADT: 15900    SPEED: 45    ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.41 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 56.9    120.3    258.2    555.7</p>					
Deer Creek Hwy (CA-32)	Forest Ave	El Monte Ave	11,500	6	45
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      -----</p> <p>AUTOS 74.86    10.90    9.22</p> <p>M-TRUCKS 2.89    0.71    0.29</p> <p>H-TRUCKS 0.78    0.24    0.11</p> <p>ADT: 11500    SPEED: 45    ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.59 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 0.0    96.7    208.1    448.1</p>					
Deer Creek Hwy (CA-32)	El Monte Ave	Bruce Road	10,600	6	55
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      -----</p> <p>AUTOS 74.86    10.90    9.22</p> <p>M-TRUCKS 2.89    0.71    0.29</p> <p>H-TRUCKS 0.78    0.24    0.11</p> <p>ADT: 10600    SPEED: 55    ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.32 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 58.8    126.2    271.5    584.8</p>					
Deer Creek Hwy (CA-32)	Bruce Road	Yosemite Dr	6,300	6	55
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      -----</p> <p>AUTOS 74.86    10.90    9.22</p> <p>M-TRUCKS 2.89    0.71    0.29</p> <p>H-TRUCKS 0.78    0.24    0.11</p> <p>ADT: 6300    SPEED: 55    ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.07 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 0.0    89.3    192.0    413.5</p>					
E 20th St	Bruce Road	Notre Dame Blvd	8,300	24	40
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY      EVENING      NIGHT ---      -----      -----</p> <p>AUTOS</p>					

75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 8300 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 63.30 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 59.0 118.6 251.3					
E 20th St	Forest Ave	Huntington Dr	11,300	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 11300 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.64 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 70.4 144.7 308.2					
E 20th St	Business Lane	Forest Ave	21,600	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 21600 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.45 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 104.8 221.0 473.9					
E 20th St	Sierra Nevada Ct	Dr MLK JR Pkwy	19,200	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 19200 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.94 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 97.3 204.5 438.2					
E 9th St	Pine St	Cypress St	18,400	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS					

1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 18400 SPEED: 35 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.84 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 74.1 159.2 342.7					
E Park Ave/Skyway	Country Dr	Whitman Ave	24,700	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 24700 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.04 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 57.1 114.1 241.4 518.0					
East Ave	Connors Ave	Esplanade	28,500	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 28500 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.24 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 101.5 213.9 458.4					
East Ave	Esplanade	Ilahee Ln	24,500	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 24500 SPEED: 45 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.27 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 67.0 136.9 291.4 625.9					
East Ave	Cussick Ave	Alamo Ave	19,300	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS					

0.64    0.02    0.08 ADT: 19300    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.24 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL ----- 58.5    117.5    248.8    534.0					
East Ave	Guyann Ave	Streamside Ct	16,700	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 16700    SPEED: 35    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.92 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL ----- 0.0    73.1    150.7    321.5					
East Ave	Kennedy Ave	CA-32	16,700	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 16700    SPEED: 35    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.92 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL ----- 0.0    73.1    150.7    321.5					
East Ave	Pillsbury Rd	Cohasset Road	14,200	30	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08  ADT: 14200    SPEED: 35    ACTIVE HALF WIDTH (FT): 30 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 63.83 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL ----- 0.0    68.9    136.8    289.1					
East Ave	Cohasset Road	North Ave	17,200	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ----- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08					



ADT: 17200 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.04 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 74.4 153.7 327.8					
East Ave	Floral Ave	Coleman Ct	18,600	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 18600 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.38 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 78.0 161.7 345.3					
Eaton Road	Constitution Dr	CA-99 SB Ramp	14,600	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 14600 SPEED: 35 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.84 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 63.6 136.5 293.7					
Eaton Road	Hicks Ln	Silverbell Rd	9,600	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 9600 SPEED: 35 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.02 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 0.0 103.3 222.2					
Eaton Road	Michael Way	Burnap Ave	6,900	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 6900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6					

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5					
CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 62.58 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 0.0 83.0 178.3					
Esplanade	Eaton Rd	Tonea Way	8,400	18	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 8400 SPEED: 35 ACTIVE HALF WIDTH (FT): 18 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 62.36 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 0.0 95.9 203.7					
Esplanade	W Shasta Ave	Mandalay Ct	15,100	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 15100 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.48 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 68.9 141.2 300.7					
Esplanade	Panama Ave	East Ave	22,800	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 22800 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.27 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 88.4 184.7 395.3					
Esplanade	Connors Ave	White Ave	21,900	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 21900 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5					

CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.09 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 86.2 179.9 384.8					
Esplanade	E 2nd Ave	E 1st Ave	21,400	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 21400 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.99 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 85.0 177.2 379.0					
Forest Ave	Humboldt Road	Wildflower Ct	15,000	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 15000 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.45 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 68.7 140.6 299.4					
Forest Ave	E 20th St	Pkwy Village Dr/Barney Ln	16,100	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 16100 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.76 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 71.6 147.2 313.8					
Mangrove Ave	Cohasset Road	E Lindo Ave	21,000	18	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08  ADT: 21000 SPEED: 35 ACTIVE HALF WIDTH (FT): 18 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.34 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **					

70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 82.5 174.4 374.1						
Mangrove Ave	E 3rd Ave	E 1st Ave	19,600	24	35	
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- -----</p> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 19600 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.61 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 80.5 167.3 357.5</p>						
Mangrove Ave	E 1st Ave	Palmetto Ave	22,100	24	35	
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- -----</p> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 22100 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.13 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 86.7 181.0 387.2</p>						
Mangrove Ave	Vallombrosa Ave	Woodland Ave/E 3rd St	18,300	24	35	
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- -----</p> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 18300 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.31 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 77.3 160.0 341.6</p>						
Park Ave	Meyers St	E Park Ave	13,100	24	40	
<p>TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- -----</p> <p>AUTOS 75.51 12.57 9.34</p> <p>M-TRUCKS 1.56 0.09 0.19</p> <p>H-TRUCKS 0.64 0.02 0.08</p> <p>ADT: 13100 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.28 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 77.3 160.0 341.6</p>						

0.0 76.9 159.2 339.9																													
Park Ave	E 16th St	E 17th St	17,500	18	30																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 17500 SPEED: 30 ACTIVE HALF WIDTH (FT): 18  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 63.94  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 58.5 121.3 259.1</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Park Ave	Humboldt Ave	W 11th St	18,500	18	30																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 18500 SPEED: 30 ACTIVE HALF WIDTH (FT): 18  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.18  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 60.5 125.8 268.8</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Skyway	Forest Ave	Dominic Dr	27,200	24	45																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 27200 SPEED: 45 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.73  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  71.3 146.5 312.3 671.0</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Skyway	Notre Dame Blvd	Forest Ave	25,100	24	45																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 25100 SPEED: 45 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.38  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  68.0 139.1 296.1 636.1</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											

W Sacramento Ave	Magnolia Ave	Esplanade	23,500	6	30																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 23500 SPEED: 30 ACTIVE HALF WIDTH (FT): 6  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.29  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 68.2 146.4 315.1</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Walnut St	W 4th St	W 5th St	19,200	24	35																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 19200 SPEED: 35 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.52  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 79.5 165.1 352.6</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Walnut St	Bidwell Ave	W 1st St	22,700	18	35																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 22700 SPEED: 35 ACTIVE HALF WIDTH (FT): 18  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.68  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 86.7 183.6 394.0</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
Walnut St	W 8th St	W 9th St	14,700	18	35																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> </tbody> </table> <p>ADT: 14700 SPEED: 35 ACTIVE HALF WIDTH (FT): 18  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.79  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 66.0 138.0 295.2</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
75.51	12.57	9.34																											
M-TRUCKS																													
1.56	0.09	0.19																											
H-TRUCKS																													
0.64	0.02	0.08																											
SR-99	GARNER LANE	EATON RD	20580	44	65																								

<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY      EVENING      NIGHT  ---      -----      -----</p> <p>AUTOS  72.38      12.05      8.95</p> <p>M-TRUCKS  4.18      0.24      0.51</p> <p>H-TRUCKS  1.46      0.05      0.18</p> <p>ADT: 20580      SPEED: 65      ACTIVE HALF WIDTH (FT): 44  SITE CHARACTERISTICS: SOFT      GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 72.80  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL      65 CNEL      60 CNEL      55 CNEL</p> <p>-----  135.0      278.5      594.0      1276.6</p>					
SR-99	EATON RD	EAST AVE	32190	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY      EVENING      NIGHT  ---      -----      -----</p> <p>AUTOS  72.38      12.05      8.95</p> <p>M-TRUCKS  4.18      0.24      0.51</p> <p>H-TRUCKS  1.46      0.05      0.18</p> <p>ADT: 32190      SPEED: 65      ACTIVE HALF WIDTH (FT): 44  SITE CHARACTERISTICS: SOFT      GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 74.74  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL      65 CNEL      60 CNEL      55 CNEL</p> <p>-----  177.6      373.1      799.3      1719.7</p>					
SR-99	EAST AVE	COHASSET RD	45600	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY      EVENING      NIGHT  ---      -----      -----</p> <p>AUTOS  72.38      12.05      8.95</p> <p>M-TRUCKS  4.18      0.24      0.51</p> <p>H-TRUCKS  1.46      0.05      0.18</p> <p>ADT: 45600      SPEED: 65      ACTIVE HALF WIDTH (FT): 44  SITE CHARACTERISTICS: SOFT      GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 76.26  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL      65 CNEL      60 CNEL      55 CNEL</p> <p>-----  221.4      469.4      1007.7      2168.9</p>					
SR-99	COHASSET RD	EAST 1 <sup>ST</sup> AVE	65210	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY      EVENING      NIGHT  ---      -----      -----</p> <p>AUTOS  72.38      12.05      8.95</p> <p>M-TRUCKS  4.18      0.24      0.51</p> <p>H-TRUCKS  1.46      0.05      0.18</p> <p>ADT: 65210      SPEED: 65      ACTIVE HALF WIDTH (FT): 44  SITE CHARACTERISTICS: SOFT      GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 77.81  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL      65 CNEL      60 CNEL      55 CNEL</p> <p>-----  278.9      594.9      1278.6      2752.7</p>					
SR-99	EAST 1 <sup>ST</sup> AVE	SR-32	77090	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY      EVENING      NIGHT</p>					

<p>---      -----      -----</p> <p>AUTOS 72.38    12.05    8.95</p> <p>M-TRUCKS 4.18    0.24    0.51</p> <p>H-TRUCKS 1.46    0.05    0.18</p> <p>ADT: 77090    SPEED: 65    ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 78.54 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 311.0    664.7    1429.3    3077.6</p>					
SR-99	SR-32	EAST 20 <sup>TH</sup> ST	74490	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS 72.38    12.05    8.95</p> <p>M-TRUCKS 4.18    0.24    0.51</p> <p>H-TRUCKS 1.46    0.05    0.18</p> <p>ADT: 74490    SPEED: 65    ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 78.39 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 304.1    649.7    1397.0    3008.0</p>					
SR-99	EAST 20 <sup>TH</sup> ST	SKYWAY	54480	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS 72.38    12.05    8.95</p> <p>M-TRUCKS 4.18    0.24    0.51</p> <p>H-TRUCKS 1.46    0.05    0.18</p> <p>ADT: 54480    SPEED: 65    ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 77.03 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 248.2    528.1    1134.3    2441.9</p>					
SR-99	SOUTH OF SKYWAY		35100	44	65
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS 69.45    11.56    8.59</p> <p>M-TRUCKS 5.48    0.32    0.67</p> <p>H-TRUCKS 3.40    0.11    0.42</p> <p>ADT: 35100    SPEED: 65    ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 76.38 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL    65 CNEL    60 CNEL    55 CNEL</p> <p>----- 225.5    478.5    1027.2    2210.9</p>					



**TRAFFIC NOISE MODELING  
FUTURE CUMULATIVE CONDITIONS**

Roadway	From	To	Traffic Count	AHW	Speed																																												
Bruce Rd	Lakeside VLG Commons	Lakewest Dr	19760	24	45																																												
<p style="text-align: center;">TRAFFIC DISTRIBUTION PERCENTAGES</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td colspan="4">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> <td></td> </tr> <tr> <td colspan="4">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> <td></td> </tr> <tr> <td colspan="4">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> <td></td> </tr> </tbody> </table> <p>ADT: 19760    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.34 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>-----</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td>59.3</td> <td>119.2</td> <td>252.7</td> <td>542.5</td> </tr> </tbody> </table>						DAY	EVENING	NIGHT		---	-----	-----		AUTOS				75.51	12.57	9.34		M-TRUCKS				1.56	0.09	0.19		H-TRUCKS				0.64	0.02	0.08		DAY	EVENING	NIGHT		-----	-----	-----		59.3	119.2	252.7	542.5
DAY	EVENING	NIGHT																																															
---	-----	-----																																															
AUTOS																																																	
75.51	12.57	9.34																																															
M-TRUCKS																																																	
1.56	0.09	0.19																																															
H-TRUCKS																																																	
0.64	0.02	0.08																																															
DAY	EVENING	NIGHT																																															
-----	-----	-----																																															
59.3	119.2	252.7	542.5																																														
Bruce Road	Humboldt Road	Picholine Way	34400	24	45																																												
<p style="text-align: center;">TRAFFIC DISTRIBUTION PERCENTAGES</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td colspan="4">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> <td></td> </tr> <tr> <td colspan="4">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> <td></td> </tr> <tr> <td colspan="4">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> <td></td> </tr> </tbody> </table> <p>ADT: 34400    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.75 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>-----</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td>82.1</td> <td>170.7</td> <td>364.9</td> <td>784.6</td> </tr> </tbody> </table>						DAY	EVENING	NIGHT		---	-----	-----		AUTOS				75.51	12.57	9.34		M-TRUCKS				1.56	0.09	0.19		H-TRUCKS				0.64	0.02	0.08		DAY	EVENING	NIGHT		-----	-----	-----		82.1	170.7	364.9	784.6
DAY	EVENING	NIGHT																																															
---	-----	-----																																															
AUTOS																																																	
75.51	12.57	9.34																																															
M-TRUCKS																																																	
1.56	0.09	0.19																																															
H-TRUCKS																																																	
0.64	0.02	0.08																																															
DAY	EVENING	NIGHT																																															
-----	-----	-----																																															
82.1	170.7	364.9	784.6																																														
Bruce Road	Remington Dr	E 20th St	27910	24	45																																												
<p style="text-align: center;">TRAFFIC DISTRIBUTION PERCENTAGES</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td colspan="4">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> <td></td> </tr> <tr> <td colspan="4">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> <td></td> </tr> <tr> <td colspan="4">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> <td></td> </tr> </tbody> </table> <p>ADT: 27910    SPEED: 45    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.84 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>-----</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td>72.4</td> <td>149.0</td> <td>317.6</td> <td>682.7</td> </tr> </tbody> </table>						DAY	EVENING	NIGHT		---	-----	-----		AUTOS				75.51	12.57	9.34		M-TRUCKS				1.56	0.09	0.19		H-TRUCKS				0.64	0.02	0.08		DAY	EVENING	NIGHT		-----	-----	-----		72.4	149.0	317.6	682.7
DAY	EVENING	NIGHT																																															
---	-----	-----																																															
AUTOS																																																	
75.51	12.57	9.34																																															
M-TRUCKS																																																	
1.56	0.09	0.19																																															
H-TRUCKS																																																	
0.64	0.02	0.08																																															
DAY	EVENING	NIGHT																																															
-----	-----	-----																																															
72.4	149.0	317.6	682.7																																														
Bruce Road	E 20th St	Raley Blvd	22810	6	45																																												
<p style="text-align: center;">TRAFFIC DISTRIBUTION PERCENTAGES</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">DAY</th> <th style="text-align: left;">EVENING</th> <th style="text-align: left;">NIGHT</th> <th></th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> <td></td> </tr> <tr> <td colspan="4">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> <td></td> </tr> <tr> <td colspan="4">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> <td></td> </tr> <tr> <td colspan="4">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> <td></td> </tr> </tbody> </table> <p>ADT: 22810    SPEED: 45    ACTIVE HALF WIDTH (FT): 6</p>						DAY	EVENING	NIGHT		---	-----	-----		AUTOS				75.51	12.57	9.34		M-TRUCKS				1.56	0.09	0.19		H-TRUCKS				0.64	0.02	0.08													
DAY	EVENING	NIGHT																																															
---	-----	-----																																															
AUTOS																																																	
75.51	12.57	9.34																																															
M-TRUCKS																																																	
1.56	0.09	0.19																																															
H-TRUCKS																																																	
0.64	0.02	0.08																																															

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.47 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 60.1 128.9 277.4 597.5					
CA-32	East Ave	Kennedy Ave	14920	12	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 14920 SPEED: 45 ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.14 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 54.6 115.4 247.5 532.6					
CA-32 (Nord Ave)	Glenwood Ave	Glenwood Ave	18540	12	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 18540 SPEED: 45 ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.08 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 62.7 133.2 286.0 615.6					
CA-32 (Nord Ave)	Oak Way	W 8th Ave	17790	12	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 17790 SPEED: 35 ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.36 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 88.2 188.6 405.5					
CA-32 (Nord Ave)	W Sacramento Ave	W Sacramento Ave	21470	12	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11					

ADT: 21470 SPEED: 35 ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.18 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 99.8 213.7 459.6					
Cohasset Road	Eaton Rd	Thorntree Dr	20130	6	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 20130 SPEED: 45 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.92 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 55.3 118.6 255.3 549.7					
Cohasset Road	Pillsbury Rd	East Ave	28400	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 28400 SPEED: 40 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.64 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 61.7 124.7 264.7 568.4					
Cohasset Road	East Ave	Lorinda Ln	21930	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 21930 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.10 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 86.3 180.1 385.2					
Deer Creek Hwy (CA-32)	E 8th St/Fir St	Until Road Merges into Undivided Hwy	16470	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 16470 SPEED: 45 ACTIVE HALF WIDTH (FT): 24					

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.65 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 61.7 124.8 264.8 568.6					
Deer Creek Hwy (CA-32)	Untill Road Merges into Undivided Hwy	Forest Ave	37170	12	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 37170 SPEED: 45 ACTIVE HALF WIDTH (FT): 12 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 73.10 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 98.6 211.2 454.4 978.6					
Deer Creek Hwy (CA-32)	Forest Ave	El Monte Ave	31540	6	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 31540 SPEED: 45 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 72.97 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 88.0 189.3 407.5 877.6					
Deer Creek Hwy (CA-32)	El Monte Ave	Bruce Road	29440	6	55
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS 0.78 0.24 0.11 ADT: 29440 SPEED: 55 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 74.76 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 115.8 249.1 536.4 1155.3					
Deer Creek Hwy (CA-32)	Bruce Road	Yosemite Dr	13490	6	55
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- AUTOS 74.86 10.90 9.22 M-TRUCKS 2.89 0.71 0.29 H-TRUCKS					

0.78    0.24    0.11 ADT: 13490    SPEED: 55    ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 71.37 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 69.0    148.1    318.9    686.7					
E 20th St	Bruce Road	Notre Dame Blvd	25180	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ---- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08 ADT: 25180    SPEED: 40    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.12 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 57.7    115.5    244.5    524.6					
E 20th St	Forest Ave	Huntington Dr	22260	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ---- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08 ADT: 22260    SPEED: 40    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.58 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0    106.8    225.4    483.4					
E 20th St	Business Lane	Forest Ave	32380	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ---- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS 0.64    0.02    0.08 ADT: 32380    SPEED: 40    ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.21 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 66.5    135.7    288.7    620.2					
E 20th St	Sierra Nevada Ct	Dr MLK JR Pkwy	22480	24	40
TRAFFIC DISTRIBUTION PERCENTAGES DAY    EVENING    NIGHT ---    -----    ---- AUTOS 75.51    12.57    9.34 M-TRUCKS 1.56    0.09    0.19 H-TRUCKS					

<p>0.64 0.02 0.08  ADT: 22480 SPEED: 40 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.63  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 107.5 226.9 486.6</p>					
E 9th St	Pine St	Cypress St	21310	6	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----</p> <p>AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 21310 SPEED: 35 ACTIVE HALF WIDTH (FT): 6  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.48  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  0.0 81.7 175.5 377.9</p>					
E Park Ave/Skyway	Country Dr	Whitman Ave	36860	24	40
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----</p> <p>AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 36860 SPEED: 40 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.78  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  71.7 147.6 314.6 676.1</p>					
East Ave	Connors Ave	Esplanade	33930	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----</p> <p>AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 33930 SPEED: 35 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.00  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----  56.8 113.4 239.9 514.7</p>					
East Ave	Esplanade	Ilahee Ln	27640	24	45
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----</p> <p>AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 27640 SPEED: 45 ACTIVE HALF WIDTH (FT): 24</p>					

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.80 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 71.9 148.0 315.6 678.3					
East Ave	Cussick Ave	Alamo Ave	20220	24	45
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 20220 SPEED: 45 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.44 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 60.1 121.0 256.6 550.8					
East Ave	Gynn Ave	Streamside Ct	18040	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 18040 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.25 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 76.6 158.5 338.4					
East Ave	Kennedy Ave	CA-32	19540	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 19540 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.60 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 80.4 167.0 356.8					
East Ave	Pillsbury Rd	Cohasset Road	14210	30	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 14210 SPEED: 35 ACTIVE HALF WIDTH (FT): 30 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5					

CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 63.84 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 68.9 136.9 289.3					
East Ave	Cohasset Road	North Ave	17650	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 17650 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.16 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 75.6 156.3 333.5					
East Ave	Floral Ave	Coleman Ct	18610	24	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 18610 SPEED: 35 ACTIVE HALF WIDTH (FT): 24 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.39 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 78.0 161.8 345.4					
Eaton Road	Constitution Dr	CA-99 SB Ramp	27380	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 27380 SPEED: 35 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 68.57 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 0.0 96.4 207.4 446.6					
Eaton Road	Hicks Ln	Silverbell Rd	30290	6	35
TRAFFIC DISTRIBUTION PERCENTAGES DAY EVENING NIGHT --- ----- AUTOS 75.51 12.57 9.34 M-TRUCKS 1.56 0.09 0.19 H-TRUCKS 0.64 0.02 0.08 ADT: 30290 SPEED: 35 ACTIVE HALF WIDTH (FT): 6 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5  CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 69.01					



<p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL  -----  0.0 103.1 221.8 477.7</p>					
Eaton Road	Michael Way	Burnap Ave	14820	6	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----  AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 14820 SPEED: 35 ACTIVE HALF WIDTH (FT): 6  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5   CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.90  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL  -----  0.0 64.2 137.8 296.7</p>					
Esplanade	Eaton Rd	Tonea Way	18920	18	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----  AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 18920 SPEED: 35 ACTIVE HALF WIDTH (FT): 18  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5   CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.89  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL  -----  0.0 77.3 162.8 349.1</p>					
Esplanade	W Shasta Ave	Mandalay Ct	21580	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----  AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 21580 SPEED: 35 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5   CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.03  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL  -----  0.0 85.4 178.2 381.1</p>					
Esplanade	Panama Ave	East Ave	27140	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES  DAY EVENING NIGHT  --- -----  AUTOS  75.51 12.57 9.34  M-TRUCKS  1.56 0.09 0.19  H-TRUCKS  0.64 0.02 0.08  ADT: 27140 SPEED: 35 ACTIVE HALF WIDTH (FT): 24  SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5   CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.03  ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **  70 CNEL 65 CNEL 60 CNEL 55 CNEL</p>					

-----					
0.0 98.5 207.1 443.8					
Esplanade	Connors Ave	White Ave	23500	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>-----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 23500 SPEED: 35 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.40</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 90.0 188.4 403.3</p>					
Esplanade	E 2nd Ave	E 1st Ave	22470	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>-----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 22470 SPEED: 35 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.21</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 87.6 183.0 391.4</p>					
Forest Ave	Humboldt Road	Wildflower Ct	21910	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>-----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 21910 SPEED: 35 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.10</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 86.2 180.0 384.9</p>					
Forest Ave	E 20th St	Pkwy Village Dr/Barney Ln	20910	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>-----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 20910 SPEED: 35 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.89</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 83.8 174.5 373.2</p>					

Mangrove Ave	Cohasset Road	E Lindo Ave	23980	18	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 23980    SPEED: 35    ACTIVE HALF WIDTH (FT): 18</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.92</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    89.8    190.4    408.7</p>					
Mangrove Ave	E 3rd Ave	E 1st Ave	22230	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 22230    SPEED: 35    ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.16</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    87.0    181.7    388.7</p>					
Mangrove Ave	E 1st Ave	Palmetto Ave	22430	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 22430    SPEED: 35    ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.20</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    87.5    182.8    391.0</p>					
Mangrove Ave	Vallombrosa Ave	Woodland Ave/E 3rd St	20580	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 20580    SPEED: 35    ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.82</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    83.0    172.7    369.3</p>					

Park Ave	Meyers St	E Park Ave	21520	24	40
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 21520    SPEED: 40    ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.44</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    104.5    220.5    472.7</p>					
Park Ave	E 16th St	E 17th St	21830	18	30
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 21830    SPEED: 30    ACTIVE HALF WIDTH (FT): 18</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.90</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    67.0    140.2    300.1</p>					
Park Ave	Humboldt Ave	W 11th St	21110	18	30
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 21110    SPEED: 30    ACTIVE HALF WIDTH (FT): 18</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 64.75</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0    65.6    137.2    293.5</p>					
Skyway	Forest Ave	Dominic Dr	32690	24	45
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY      EVENING      NIGHT</p> <p>---      -----      -----</p> <p>AUTOS</p> <p>75.51    12.57    9.34</p> <p>M-TRUCKS</p> <p>1.56    0.09    0.19</p> <p>H-TRUCKS</p> <p>0.64    0.02    0.08</p> <p>ADT: 32690    SPEED: 45    ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.52</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p>					

79.6 165.1 352.7 758.4					
Skyway	Notre Dame Blvd	Forest Ave	30010	24	45
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>--- -----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 30010 SPEED: 45 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 70.15</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>75.6 156.2 333.3 716.4</p>					
W Sacramento Ave	Magnolia Ave	Esplanade	23510	6	30
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>--- -----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 23510 SPEED: 30 ACTIVE HALF WIDTH (FT): 6</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.30</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 68.2 146.4 315.2</p>					
Walnut St	W 4th St	W 5th St	22050	24	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>--- -----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 22050 SPEED: 35 ACTIVE HALF WIDTH (FT): 24</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 66.12</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 86.5 180.7 386.6</p>					
Walnut St	Bidwell Ave	W 1st St	25960	18	35
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <p>DAY EVENING NIGHT</p> <p>--- -----</p> <p>AUTOS</p> <p>75.51 12.57 9.34</p> <p>M-TRUCKS</p> <p>1.56 0.09 0.19</p> <p>H-TRUCKS</p> <p>0.64 0.02 0.08</p> <p>ADT: 25960 SPEED: 35 ACTIVE HALF WIDTH (FT): 18</p> <p>SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 67.26</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>-----</p> <p>0.0 94.5 200.6 430.8</p>					

Walnut St	W 8th St	W 9th St	17630	18	35																																													
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td colspan="3">---</td> </tr> <tr> <td colspan="3">-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>75.51</td> <td>12.57</td> <td>9.34</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>1.56</td> <td>0.09</td> <td>0.19</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>0.64</td> <td>0.02</td> <td>0.08</td> </tr> <tr> <td colspan="3">ADT: 17630    SPEED: 35    ACTIVE HALF WIDTH (FT): 18</td> </tr> <tr> <td colspan="3">SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5</td> </tr> <tr> <td colspan="6"> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.58</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL   65 CNEL   60 CNEL   55 CNEL</p> <table> <thead> <tr> <th>-----</th> <th>-----</th> <th>-----</th> </tr> </thead> <tbody> <tr> <td>0.0</td> <td>73.9</td> <td>155.4   333.0</td> </tr> </tbody> </table> </td> </tr> </tbody></table>						DAY	EVENING	NIGHT	---			-----			AUTOS			75.51	12.57	9.34	M-TRUCKS			1.56	0.09	0.19	H-TRUCKS			0.64	0.02	0.08	ADT: 17630    SPEED: 35    ACTIVE HALF WIDTH (FT): 18			SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5			<p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.58</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL   65 CNEL   60 CNEL   55 CNEL</p> <table> <thead> <tr> <th>-----</th> <th>-----</th> <th>-----</th> </tr> </thead> <tbody> <tr> <td>0.0</td> <td>73.9</td> <td>155.4   333.0</td> </tr> </tbody> </table>						-----	-----	-----	0.0	73.9	155.4   333.0
DAY	EVENING	NIGHT																																																
---																																																		
-----																																																		
AUTOS																																																		
75.51	12.57	9.34																																																
M-TRUCKS																																																		
1.56	0.09	0.19																																																
H-TRUCKS																																																		
0.64	0.02	0.08																																																
ADT: 17630    SPEED: 35    ACTIVE HALF WIDTH (FT): 18																																																		
SITE CHARACTERISTICS: SOFT    GRADE (PERCENT): .5																																																		
<p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 65.58</p> <p>** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL **</p> <p>70 CNEL   65 CNEL   60 CNEL   55 CNEL</p> <table> <thead> <tr> <th>-----</th> <th>-----</th> <th>-----</th> </tr> </thead> <tbody> <tr> <td>0.0</td> <td>73.9</td> <td>155.4   333.0</td> </tr> </tbody> </table>						-----	-----	-----	0.0	73.9	155.4   333.0																																							
-----	-----	-----																																																
0.0	73.9	155.4   333.0																																																

SR-99	GARNER LANE	EATON RD	38090	44	65
-------	-------------	----------	-------	----	----

<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 38090 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 75.47 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 197.4 416.9 894.0 1923.8</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	EATON RD	EAST AVE	58170	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 58170 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 77.31 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 259.0 551.5 1184.9 2550.9</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	EAST AVE	COHASSET RD	75730	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 75730 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 78.46 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 307.4 656.9 1412.5 3041.3</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	COHASSET RD	EAST 1 <sup>ST</sup> AVE	96300	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 96300 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 79.50 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL</p> <p>----- 359.8 770.5 1657.6 3569.6</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	EAST 1 <sup>ST</sup> AVE	SR-32	116030	44	65																								

<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 116030 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 80.31 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 406.8 872.2 1876.8 4041.7</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	SR-32	EAST 20 <sup>TH</sup> ST	102430	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 102430 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 79.77 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 374.7 802.8 1727.2 3719.4</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	EAST 20 <sup>TH</sup> ST	SKYWAY	74150	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>72.38</td> <td>12.05</td> <td>8.95</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>4.18</td> <td>0.24</td> <td>0.51</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>1.46</td> <td>0.05</td> <td>0.18</td> </tr> </tbody> </table> <p>ADT: 74150 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 78.37 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 303.2 647.8 1392.8 2998.8</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			72.38	12.05	8.95	M-TRUCKS			4.18	0.24	0.51	H-TRUCKS			1.46	0.05	0.18
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
72.38	12.05	8.95																											
M-TRUCKS																													
4.18	0.24	0.51																											
H-TRUCKS																													
1.46	0.05	0.18																											
SR-99	SOUTH OF SKYWAY		45440	44	65																								
<p>TRAFFIC DISTRIBUTION PERCENTAGES</p> <table border="1"> <thead> <tr> <th>DAY</th> <th>EVENING</th> <th>NIGHT</th> </tr> </thead> <tbody> <tr> <td>---</td> <td>-----</td> <td>-----</td> </tr> <tr> <td colspan="3">AUTOS</td> </tr> <tr> <td>69.45</td> <td>11.56</td> <td>8.59</td> </tr> <tr> <td colspan="3">M-TRUCKS</td> </tr> <tr> <td>5.48</td> <td>0.32</td> <td>0.67</td> </tr> <tr> <td colspan="3">H-TRUCKS</td> </tr> <tr> <td>3.40</td> <td>0.11</td> <td>0.42</td> </tr> </tbody> </table> <p>ADT: 45440 SPEED: 65 ACTIVE HALF WIDTH (FT): 44 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5</p> <p>CNEL AT 50 FT FROM NEAR TRAVEL LANE CENTERLINE = 77.50 ** DISTANCE (FEET) FROM ROADWAY CENTERLINE TO CNEL ** 70 CNEL 65 CNEL 60 CNEL 55 CNEL ----- 266.4 567.6 1219.8 2626.1</p>						DAY	EVENING	NIGHT	---	-----	-----	AUTOS			69.45	11.56	8.59	M-TRUCKS			5.48	0.32	0.67	H-TRUCKS			3.40	0.11	0.42
DAY	EVENING	NIGHT																											
---	-----	-----																											
AUTOS																													
69.45	11.56	8.59																											
M-TRUCKS																													
5.48	0.32	0.67																											
H-TRUCKS																													
3.40	0.11	0.42																											



**FRA Grade Crossing Noise Model**

Noise Situation (Pick from List)	1
Horn Lmax (dBA) @ 50 feet	104
Horn Location on Locomotive(Pick from List)	1
Non Train Noise Environment (pick from list)	2
Shielding (Pick from List)	2
Length of Impact Area (pick from list)	1
Existing Train Speed (mph)	50
Future Train Speed (mph)	50
Number of Existing Trains in one Direction	20
Number of Future Trains in one Direction	20
Existing Number of Day Trains (7 am to 10 p.m.)	12.5
Future Number of Day Trains (7 am to 10 p.m.)	12.5
Existing Number of Night Trains (10 p.m. to 7 am)	7.5
Future Number of Night Trains (10 p.m. to 7 am)	7.5
Existing Average Number of Cars	50
Future Average Number of Cars	50
Existing Average Number of Locomotives	1
Future Average Number of Locomotives	1
Zone Length:	1320
½ Zone Length	660
Predicted Noise Contours (With Horn Sounding):	Feet
65 dBA Ldn	375
60 dBA Ldn	810
Predicted Noise Contours (Without Horn Sounding):	Feet
65 dBA Ldn	325
60 dBA Ldn	700